

samixir

iecek ekipmanları beverage equipment



2021 product catalogue with prices

hot and cold beverage dispensers



index

Slush Mono Allure	02
Slush Twin Allure	04
Slush Triple Allure	06
Slush Mono	08
Slush Twin	10
Slush Triple	12
Panoramic M10	14
Panoramic 10 Twin	16
Panoramic 10 Triple	18
Panoramic M22	20
Panoramic M40	22
Panoramic S22	24
Panoramic S40	26
Panoramic 22 Twin	28
KAM22 - KAM40	30
Classical Mono	32
Classical Twin	34
Classical Triple	36
Hot 05	38
Hot 10	40

samixir

iecek ekipmanları beverage equipment

The foundations of **SAM Teknik Mutfak Ekipmanları Sanayi ve Ticaret Ltd. Sti.** were laid in 1982 by **Mehmet Ali Kaksi.**

Activities started by offering after-sales services to the elite brands of the cold beverage equipments sector. In 2010 with the accumulated knowledge and experience of 28 years, SAM Teknik has become a professional manufacturer of cold beverage equipments.

samixir branded products are produced with a focus on being; user oriented, long lasting and high quality. All of the pros and cons of the various brands have been studied by SAM Teknik's R & D Technical team, resulting to the most accurate solutions applied to the production of **samixir** products, hence minimizing failure rate and increasing the user satisfaction.

Our target is to introduce **samixir** product portfolio to the end users in all of the global markets by collaborating with strong local partners.

Quality & Experience : **samixir**

SLUSH Mono Allure

12 L slush, granita, fruit juice dispenser

Counter top dispenser developed to produce and dispense slush, granita, coffee, ice cappuccino, cream, sherbets and similar frosty beverages.



Also available with
refrigerating gas
R290



12 LITERS

Weight and Dims.	Machine	Package
Weight	25,5 kg	28 kg
Width	195 mm	225 mm
Depth	530 mm*	510 mm
Height	770 mm	805 mm

* includes drip tray

Technical Specs.	
Defrost Mode	Mechanical
Cooling Gas	R404A / R290
Cooling Power	490 W
Power	350 W
Current	1,6 A
Supply Voltage	220-240 V 50 Hz
Optional Voltage	208-220 V 60 Hz
Optional Voltage	115 V 60 Hz

Cold and frosty beverage dispensers

- ◆ Counter top dispenser developed to produce and dispense slush, granita, coffee, ice cappuccino, cream, sherbets and similar frosty beverages.
- ◆ **RGB (multi color)** illuminated bowl for better product exhibit.
- ◆ **Led illuminated** front panel for branding and better appearance.
- ◆ The mixer function stops automatically for better safety when the bowl cover is opened.
- ◆ Special section behind the machine for branding.
- ◆ The **sugar ratio** of the product mix must be between 12% to 17%.
- ◆ It can be also used as a cold fruit juice dispenser.
- ◆ Night-mode operation allows storage of the product with **very low energy consumption**.
- ◆ In order to achieve **perfect cleaning and hygiene**; all parts which are in contact with the beverage can be easily accessed and quickly cleansed.
- ◆ Polycarbonate bowl is **vandal-proof** and food grade.
- ◆ It is the right choice for small and mid size food-service outlets
- ◆ Water level indicator incorporated into the drip tray serves to indicate the time to empty the tray.





product range



YELLOW

SLUSH12.YA®

€ 1.130,00



BLACK

SLUSH12.BA®

€ 1.130,00



INOX

SLUSH12.IA®

€ 1.165,00



RGB

RGB lighting system provides multi color illumination for a lighted-up presentation of the beverage.



LED

Front cover of the machine body is illuminated with led system and is available for branding.



SAFETY

The mixer function stops automatically for better safety when the bowl cover is opened.

SLUSH Twin Allure

12 L + 12 L slush, granita, fruit juice dispenser

Counter top dispenser developed to produce and dispense slush, granita, coffee, ice cappuccino, cream, sherbets and similar frosty beverages.



Also available with
refrigerating gas
R290



12 LITERS



12 LITERS

Weight and Dims.	Machine	Package
Weight	43,5 kg	46,5 kg
Width	390 mm	435 mm
Depth	530 mm*	520 mm
Height	770 mm	805 mm

* includes drip tray

Technical Specs.	
Defrost Mode	Mechanical
Cooling Gas	R404A / R290
Cooling Power	984 W
Power	510 W
Current	2,31 A
Supply Voltage	220-240 V 50 Hz
Optional Voltage	208-220 V 60 Hz
Optional Voltage	115 V 60 Hz

Cold and frosty beverage dispensers

- ◆ Counter top dispenser developed to produce and dispense slush, granita, coffee, ice cappuccino, cream, sherbets and similar frosty beverages.
- ◆ **RGB (multi color)** illuminated bowls for better product exhibit.
- ◆ **Led illuminated** front panel for branding and better appearance.
- ◆ The mixer function stops automatically for better safety when the bowl cover is opened.
- ◆ Special section behind the machine for branding.
- ◆ The **sugar ratio** of the product mix must be between 12% to 17%.
- ◆ It can be also used as a cold fruit juice dispenser.
- ◆ Bowls can operate independently both cooling and mixing, multiple containers allow to always have some beverage available at any time.
- ◆ Night-mode operation allows storage of the product with **very low energy consumption**.
- ◆ In order to achieve **perfect cleaning and hygiene**; all parts which are in contact with the beverage can be easily accessed and quickly cleansed.
- ◆ Polycarbonate bowl is **vandal-proof** and food grade.
- ◆ It's compact body makes the machine suitable for food-service outlets with high daily consumption needs.
- ◆ Water level indicator incorporated into the drip tray serves to indicate the time to empty the tray.





product range



YELLOW

SLUSH24.YA®

€ 1.480,00



BLACK

SLUSH24.BA®

€ 1.480,00



INOX


SLUSH24.IA®

€ 1.515,00



RGB

RGB lighting system provides multi color illumination for a lighted-up presentation of the beverage.



LED

Front cover of the machine body is illuminated with led system and is available for branding.



SAFETY

The mixer function stops automatically for better safety when the bowl cover is opened.

SLUSH Triple Allure

12 L+12 L+12 L slush, granita, fruit juice dispenser

Counter top dispenser developed to produce and dispense slush, granita, coffee, ice cappuccino, cream, sherbets and similar frosty beverages.



Also available with
refrigerating gas
R290



12 LITERS



12 LITERS



12 LITERS

Weight and Dims.	Machine	Package
Weight	61,3 kg	64,8 kg
Width	590 mm	630 mm
Depth	530 mm*	530 mm
Height	770 mm	805 mm

* includes drip tray

Technical Specs.	
Defrost Mode	Mechanical
Cooling Gas	R404A / R290
Cooling Power	1400 W
Power	990 W
Current	3,84 A
Supply Voltage	220-240 V 50 Hz
Optional Voltage	208-220 V 60 Hz
Optional Voltage	115 V 60 Hz

Cold and frosty beverage dispensers

- ◆ Counter top dispenser developed to produce and dispense slush, granita, coffee, ice cappuccino, cream, sherbets and similar frosty beverages.
- ◆ **RGB (multi color)** illuminated bowls for better product exhibit.
- ◆ **Led illuminated** front panel for branding and better appearance.
- ◆ The mixer function stops automatically for better safety when the bowl cover is opened.
- ◆ Special section behind the machine for branding.
- ◆ The **sugar ratio** of the product mix must be between 12% to 17%.
- ◆ It can be also used as a cold fruit juice dispenser.
- ◆ Bowls can operate independently both cooling and mixing, multiple containers allow to always have some beverage available at any time.
- ◆ Night-mode operation allows storage of the product with **very low energy consumption**.
- ◆ In order to achieve **perfect cleaning and hygiene**; all parts which are in contact with the beverage can be easily accessed and quickly cleansed.
- ◆ Polycarbonate bowl is **vandal-proof** and food grade.
- ◆ It's compact body makes the machine suitable for food-service outlets with high daily consumption needs.
- ◆ Water level indicator incorporated into the drip tray serves to indicate the time to empty the tray.





product range



YELLOW
SLUSH36.YA@
€ 2.010,00



BLACK
SLUSH36.BA@
€ 2.010,00



INOX
SLUSH36.IA@
€ 2.045,00



RGB

RGB lighting system provides multi color illumination for a lighted-up presentation of the beverage.



LED

Front cover of the machine body is illuminated with led system and is available for branding.



SAFETY

The mixer function stops automatically for better safety when the bowl cover is opened.

SLUSH Mono

12 L slush, granita, fruit juice dispenser

Counter top dispenser developed to produce and dispense slush, granita, coffee, ice cappuccino, cream, sherbets and similar frosty beverages.



Also available with
refrigerating gas
R290



12 LITERS

Weight and Dims.	Machine	Package
Weight	24,7 kg	27,2 kg
Width	195 mm	225 mm
Depth	530 mm*	510 mm
Height	770 mm	805 mm

** includes drip tray*

Technical Specs.	
Defrost Mode	Mechanical
Cooling Gas	R404A / R290
Cooling Power	490 W
Power	340 W
Current	1,54 A
Supply Voltage	220-240 V 50 Hz
Optional Voltage	208-220 V 60 Hz
Optional Voltage	115 V 60 Hz

Cold and frosty beverage dispensers

- ◆ Counter top dispenser developed to produce and dispense slush, granita, coffee, ice cappuccino, cream, sherbets and similar frosty beverages.
- ◆ The **sugar ratio** of the product mix must be between 12% to 17%.
- ◆ Special section behind the machine for branding.
- ◆ It can be also used as a cold fruit juice dispenser.
- ◆ Night-mode operation allows storage of the product with **very low energy consumption**.
- ◆ Front and back surfaces can be branded.
- ◆ In order to achieve **perfect cleaning and hygiene**; all parts which are in contact with the beverage can be easily accessed and quickly cleansed.
- ◆ Polycarbonate bowl is **vandal-proof** and food grade.
- ◆ It is the right choice for small and mid size food-service outlets
- ◆ Water level indicator incorporated into the drip tray serves to indicate the time to empty the tray.





product range



YELLOW
SLUSH12.YⓈ
€ 1.010,00



BLACK
SLUSH12.BⓈ
€ 1.010,00



INOX
SLUSH12.IⓈ
€ 1.045,00

SLUSH Twin

12 L+12 L slush, granita, fruit juice dispenser

Counter top dispenser developed to produce and dispense slush, granita, coffee, ice cappuccino, cream, sherbets and similar frosty beverages.



Also available with
refrigerating gas
R290



12 LITERS



12 LITERS

Weight and Dims.	Machine	Package
Weight	41,1 kg	44 kg
Width	390 mm	435 mm
Depth	530 mm*	520 mm
Height	770 mm	805 mm

* includes drip tray

Technical Specs.	
Defrost Mode	Mechanical
Cooling Gas	R404A / R290
Cooling Power	984 W
Power	495 W
Current	2,25 A
Supply Voltage	220-240 V 50 Hz
Optional Voltage	208-220 V 60 Hz
Optional Voltage	115 V 60 Hz

Cold and frosty beverage dispensers

- ◆ Counter top dispenser developed to produce and dispense slush, granita, coffee, ice cappuccino, cream, sherbets and similar frosty beverages.
- ◆ The **sugar ratio** of the product mix must be between 12% to 17%.
- ◆ Special section behind the machine for branding.
- ◆ It can be also used as a cold fruit juice dispenser.
- ◆ Bowls can operate independently both cooling and mixing, multiple containers allow to always have some beverage available at any time.
- ◆ Night-mode operation allows storage of the product with **very low energy consumption**.
- ◆ Front and back surfaces can be branded.
- ◆ In order to achieve **perfect cleaning and hygiene**; all parts which are in contact with the beverage can be easily accessed and quickly cleansed.
- ◆ Polycarbonate bowl is **vandal-proof** and food grade.
- ◆ It's compact body makes the machine suitable for food-service outlets with high daily consumption needs.
- ◆ Water level indicator incorporated into the drip tray serves to indicate the time to empty the tray.





product range



YELLOW
SLUSH24.Y ©
€ 1.285,00



BLACK
SLUSH24.B ©
€ 1.285,00



INOX
SLUSH24.I ©
€ 1.320,00

SLUSH Triple

12 L+12 L+12 L slush, granita, fruit juice dispenser

Counter top dispenser developed to produce and dispense slush, granita, coffee, ice cappuccino, cream, sherbets and similar frosty beverages.



Also available with
refrigerating gas
R290



12 LITERS



12 LITERS



12 LITERS

Weight and Dims.	Machine	Package
Weight	58,5 kg	62 kg
Width	590 mm	630 mm
Depth	530 mm*	530 mm
Height	770 mm	805 mm

* includes drip tray

Technical Specs.	
Defrost Mode	Mechanical
Cooling Gas	R404A / R290
Cooling Power	1400 W
Power	1050 W
Current	3,72 A
Supply Voltage	220-240 V 50 Hz
Optional Voltage	208-220 V 60 Hz
Optional Voltage	115 V 60 Hz

Cold and frosty beverage dispensers

- ◆ Counter top dispenser developed to produce and dispense slush, granita, coffee, ice cappuccino, cream, sherbets and similar frosty beverages.
- ◆ The **sugar ratio** of the product mix must be between 12% to 17%.
- ◆ Special section behind the machine for branding.
- ◆ It can be also used as a cold fruit juice dispenser.
- ◆ Bowls can operate independently both cooling and mixing, multiple containers allow to always have some beverage available at any time.
- ◆ Night-mode operation allows storage of the product with **very low energy consumption**.
- ◆ Front and back surfaces can be branded.
- ◆ In order to achieve **perfect cleaning and hygiene**; all parts which are in contact with the beverage can be easily accessed and quickly cleansed.
- ◆ Polycarbonate bowl is **vandal-proof** and food grade.
- ◆ It's compact body makes the machine suitable for food-service outlets with high daily consumption needs.
- ◆ Water level indicator incorporated into the drip tray serves to indicate the time to empty the tray.





product range



YELLOW
SLUSH36.Y
€ 1.725,00



BLACK
SLUSH36.B
€ 1.725,00



INOX
SLUSH36.I
€ 1.760,00

Panoramic M10

10 L Panoramic cold beverage dispenser with mixer

Counter top cold beverage dispenser for cooling and dispensing natural fruit juices, ayran and all sorts of cold beverages



Also available with
refrigerating gas
R290



10 LITERS

Weight and Dims.	Machine	Package
Weight	16,4 kg	18,4 kg
Width	250 mm	305 mm
Depth	390 mm*	335 mm
Height	700 mm	725 mm

** includes drip tray*

Technical Specs.	
Cooling Gas	R134a / R290
Temperature Range	+3 °C ... +10 °C
Cooling Power	350 W
Power	160 W
Current	1,1 A
Energy Consumption	1,8 kWh/24h
Supply Voltage	220-240 V 50 Hz
Optional Voltage	208-220 V 60 Hz
Optional Voltage	115 V 60 Hz

Panoramic cold beverage dispenser with mixer

- ◆ Beverages cool faster and equally until the last drop thanks to the large cooling base, it **saves energy up to 50%** compared classical dispensers.
- ◆ **Practical tap system** allows easy dispensing of the beverage with single hand.
- ◆ **Large diameter tap hose** allows constant fluidity and can easily be disassembled and cleansed.
- ◆ It eliminates the risk of leakage to the engine compartment thanks to **the magnetic twisted pallet system**, hence the motor is fully protected.
- ◆ It provides a homogeneous mix thanks to the magnetic and **twisted pallet system**, this allows the beverage to cool faster.
- ◆ In order to achieve **perfect cleaning and hygiene**; all parts which are in contact with the beverage can be easily accessed and quickly cleansed.
- ◆ Polycarbonate bowl is **vandal-proof** and food grade.
- ◆ It is the right choice for small and mid size food-service outlets.
- ◆ **Water level indicator** incorporated into the drip tray serves to indicate the time to empty the tray.





product range



temperature control
system



YELLOW

M10.AY ☉

€ 430,00



BLACK

M10.AB ☉

€ 430,00



INOX

M10.AI ☉

€ 465,00



MANUAL

The desired temperature level is set manually, the thermostat keeps this level constant.

Panoramic 10 Twin

10 L + 10 L Panoramic cold beverage dispenser with mixer

Counter top cold beverage dispenser for cooling and dispensing natural fruit juices, Ayran and all sorts of cold beverages



Also available with
refrigerating gas
R290



10 LITERS



10 LITERS



Weight and Dims.	Machine	Package
Weight	23 kg	25,8 kg
Width	500 mm	535 mm
Depth	390 mm*	355 mm
Height	700 mm	725 mm

* includes drip tray

Technical Specs.	
Cooling Gas	R134a / R290
Temperature Range	+3 °C ... +10 °C
Cooling Power	500 W
Power	250 W
Current	1,3 A
Energy Consumption	3,8 kWh/24h
Supply Voltage	220-240 V 50 Hz
Optional Voltage	208-220 V 60 Hz
Optional Voltage	115 V 60 Hz

Panoramic cold beverage dispenser with mixer

- ◆ Beverages cool faster and equally until the last drop thanks to the large cooling base, it **saves energy up to 50%** compared classical dispensers.
- ◆ Bowls can operate independently both cooling and mixing, multiple containers allow to always have some beverage available at any time.
- ◆ Practical tap system allows easy dispensing of the beverage with single hand.
- ◆ **Large diameter tap hose** allows constant fluidity and can easily be disassembled and cleansed.
- ◆ It eliminates the risk of leakage to the engine compartment thanks to **the magnetic twisted pallet system**, hence the motor is fully protected.
- ◆ It provides a homogeneous mix thanks to the magnetic and **twisted pallet system**, this allows the beverage to cool faster.
- ◆ In order to achieve **perfect cleaning and hygiene**; all parts which are in contact with the beverage can be easily accessed and quickly cleansed.
- ◆ Polycarbonate bowl is **vandal-proof** and food grade.
- ◆ It is suitable for food outlets that want to offer different and varied beverages at the same time, thanks to the single machine body and double bowls.
- ◆ Water level indicator incorporated into the drip tray serves to indicate the time to empty the tray.





product range



temperature control
system



YELLOW

MM20.AY ☉

€ 700,00



BLACK

MM20.AB ☉

€ 700,00



MANUAL

The desired temperature level is set manually, the thermostat keeps this level constant.

Panoramic 10 Triple

10 L + 10 L + 10 L Panoramic cold beverage dispenser with mixer

Counter top cold beverage dispenser for cooling and dispensing natural fruit juices, Ayran and all sorts of cold beverages



Also available with
refrigerating gas
R290



10 LITERS



10 LITERS



10 LITERS

Weight and Dims.	Machine	Package
Weight	29 kg	32,5 kg
Width	750 mm	780 mm
Depth	390 mm*	355 mm
Height	700 mm	725 mm

* includes drip tray

Technical Specs.	
Cooling Gas	R134a / R290
Temperature Range	+3 °C ... +10 °C
Cooling Power	750 W
Power	300 W
Current	1,53 A
Energy Consumption	5 kWh/24h
Supply Voltage	220-240 V 50 Hz
Optional Voltage	208-220 V 60 Hz
Optional Voltage	115 V 60 Hz

Panoramic cold beverage dispenser with mixer

- ◆ Beverages cool faster and equally until the last drop thanks to the large cooling base, it **saves energy up to 50%** compared classical dispensers.
- ◆ Bowls can operate independently both cooling and mixing, multiple containers allow to always have some beverage available at any time.
- ◆ Practical tap system allows easy dispensing of the beverage with single hand.
- ◆ **Large diameter tap hose** allows constant fluidity and can easily be disassembled and cleansed.
- ◆ It eliminates the risk of leakage to the engine compartment thanks to **the magnetic twisted pallet system**, hence the motor is fully protected.
- ◆ It provides a homogeneous mix thanks to the magnetic and **twisted pallet system**, this allows the beverage to cool faster.
- ◆ In order to achieve **perfect cleaning and hygiene**; all parts which are in contact with the beverage can be easily accessed and quickly cleansed.
- ◆ Polycarbonate bowl is **vandal-proof** and food grade.
- ◆ It is suitable for food outlets that want to offer different and varied beverages at the same time, thanks to the single machine body and triple bowls.
- ◆ Water level indicator incorporated into the drip tray serves to indicate the time to empty the tray.





product range



temperature control
system



YELLOW
MMM30.AY ©
€ 970,00



BLACK
MMM30.AB ©
€ 970,00



MANUAL

The desired temperature level is set manually, the thermostat keeps this level constant.

Panoramic M22

22 L Panoramic cold beverage dispenser with mixer

Counter top cold beverage dispenser for cooling and dispensing natural fruit juices, ayran and all sorts of cold beverages



Also available with
refrigerating gas
R290



22 LITERS

Weight and Dims.	Machine	Package
Weight	20 kg	21,6 kg
Width	350 mm	405 mm
Depth	405 mm*	430 mm
Height	755 mm	795mm

** includes drip tray*

Technical Specs.	
Cooling Gas	R134a / R290
Temperature Range	+3 °C ... +10 °C
Cooling Power	500 W
Power	250 W
Current	1,4 A
Energy Consumption	2,8 kWh/24h
Supply Voltage	220-240 V 50 Hz
Optional Voltage	208-220 V 60 Hz
Optional Voltage	115 V 60 Hz

Panoramic cold beverage dispenser with mixer

- ◆ Beverages cool faster and equally until the last drop thanks to the large cooling base, it **saves energy up to 50%** compared classical dispensers.
- ◆ **Practical tap system** allows easy dispensing of the beverage with single hand.
- ◆ **Large diameter tap hose** allows constant fluidity and can easily be disassembled and cleansed.
- ◆ It eliminates the risk of leakage to the engine compartment thanks to **the magnetic twisted pallet system**, hence the motor is fully protected.
- ◆ It provides a homogeneous mix thanks to the magnetic and **twisted pallet system**, this allows the beverage to cool faster.
- ◆ In order to achieve **perfect cleaning and hygiene**; all parts which are in contact with the beverage can be easily accessed and quickly cleansed.
- ◆ Polycarbonate bowl is **vandal-proof** and food grade.
- ◆ It is the right choice for small and mid size food-service outlets.
- ◆ **Water level indicator** incorporated into the drip tray serves to indicate the time to empty the tray.





product range



temperature control system



YELLOW

M22.DY ☉

€ 625,00



BLACK

M22.DB ☉

€ 625,00



INOX

M22.DI ☉

€ 660,00



ELECTRONIC

The desired temperature of the beverage is set on the electronic thermostat, this level is kept constant, the electronic display shows the current temperature level.



YELLOW

M22.AY ☉

€ 600,00



BLACK

M22.AB ☉

€ 600,00



INOX

M22.AI ☉

€ 635,00



MANUAL

The desired temperature level is set manually, the thermostat keeps this level constant.

Panoramic M40

40 L Panoramic cold beverage dispenser with mixer

Counter top cold beverage dispenser for cooling and dispensing natural fruit juices, ayran and all sorts of cold beverages



Also available with refrigerating gas
R290



40 LITERS

Weight and Dims.	Machine	Package
Weight	23 kg	25,1 kg
Width	450 mm	490 mm
Depth	450 mm*	480 mm
Height	825 mm	845 mm

* includes drip tray

Technical Specs.	
Cooling Gas	R134a / R290
Temperature Range	+3 °C ... +10 °C
Cooling Power	750 W
Power	280 W
Current	1,45 A
Energy Consumption	4,25 kWh/24h
Supply Voltage	220-240 V 50 Hz
Optional Voltage	208-220 V 60 Hz
Optional Voltage	115 V 60 Hz

Panoramic cold beverage dispenser with mixer

- ◆ Beverages cool faster and equally until the last drop thanks to the large cooling base, it **saves energy up to 50%** compared classical dispensers.
- ◆ **Practical tap system** allows easy dispensing of the beverage with single hand.
- ◆ **Large diameter tap hose** allows constant fluidity and can easily be disassembled and cleansed.
- ◆ It eliminates the risk of leakage to the engine compartment thanks to **the magnetic twisted pallet system**, hence the motor is fully protected.
- ◆ It provides a homogeneous mix thanks to the magnetic and **twisted pallet system**, this allows the beverage to cool faster.
- ◆ In order to achieve **perfect cleaning and hygiene**; all parts which are in contact with the beverage can be easily accessed and quickly cleansed.
- ◆ Polycarbonate bowl is **vandal-proof** and food grade.
- ◆ It's compact body makes the machine suitable for food-service outlets with high daily consumption needs.
- ◆ **Water level indicator** incorporated into the drip tray serves to indicate the time to empty the tray.





product range



temperature control
system



YELLOW

M40.DY ☉

€ 830,00



BLACK

M40.DB ☉

€ 830,00



INOX

M40.DI ☉

€ 865,00



ELECTRONIC

The desired temperature of the beverage is set on the electronic thermostat, this level is kept constant, the electronic display shows the current temperature level.

Panoramic S22

22 L Panoramic cold beverage dispenser with spray

Counter top cold beverage dispenser for cooling and dispensing natural fruit juices without particules and shalgam



Also available with
refrigerating gas
R290



22 LITERS

Weight and Dims.	Machine	Package
Weight	20,6 kg	22,2 kg
Width	350 mm	400 mm
Depth	405 mm*	430 mm
Height	760 mm	795 mm

* includes drip tray

Technical Specs.	
Cooling Gas	R134a / R290
Temperature Range	+3 °C ... +10 °C
Cooling Power	500 W
Power	260 W
Current	1,38 A
Energy Consumption	2,9 kWh/24h
Supply Voltage	220-240 V 50 Hz
Optional Voltage	208-220 V 60 Hz
Optional Voltage	115 V 60 Hz

Panoramic cold beverage dispenser with spray

- ◆ Beverages cool equally and faster until the last drop, thanks to the large cooling base, it **saves energy up to 50%** compared classical dispensers.
- ◆ **Practical tap system** allows easy dispensing of the beverage with single hand.
- ◆ **Large diameter tap hose** allows constant fluidity and can easily be disassembled and cleansed.
- ◆ It eliminates the risk of leakage to the engine compartment thanks to **the magnetic Spray system**, hence motor is fully protected.
- ◆ Even if the beverage level is low; the appetizing look does not change thanks to the spray system.
- ◆ In order to achieve **perfect cleaning and hygiene**; all parts which are in contact with the beverage can be easily accessed and quickly cleansed.
- ◆ Polycarbonate bowl is **vandal-proof** and food grade.
- ◆ It is the right choice for small and mid size food-service outlets.
- ◆ Not to be used with particulate beverages.
- ◆ **Water level indicator** incorporated into the drip tray serves to indicate the time to empty the tray.





product range



YELLOW

S22.DY ۱۱

€ 625,00



BLACK

S22.DB ۱۱

€ 625,00



INOX

S22.DI ۱۱

€ 660,00



YELLOW

S22.AY ۱۱

€ 600,00



BLACK

S22.AB ۱۱

€ 600,00



INOX

S22.AI ۱۱

€ 635,00



temperature control system



ELECTRONIC

The desired temperature of the beverage is set on the electronic thermostat, this level is kept constant, the electronic display shows the current temperature level.



MANUAL

The desired temperature level is set manually, the thermostat keeps this level constant.

Panoramic S40

40 L Panoramic cold beverage dispenser with spray

Counter top cold beverage dispenser for cooling and dispensing natural fruit juices without particles and shalgam



Also available with
refrigerating gas
R290



40 LITERS

Weight and Dims.	Machine	Package
Weight	25,8 kg	27,5 kg
Width	450 mm	490 mm
Depth	450 mm*	480 mm
Height	830 mm	845 mm

** includes drip tray*

Technical Specs.	
Cooling Gas	R134a / R290
Temperature Range	+3 °C ... +10 °C
Cooling Power	750 W
Power	285 W
Current	1,4 A
Energy Consumption	4,45 kWh/24h
Supply Voltage	220-240 V 50 Hz
Optional Voltage	208-220 V 60 Hz
Optional Voltage	115 V 60 Hz

Panoramic cold beverage dispenser with spray

- ◆ Beverages cool equally and faster until the last drop, thanks to the large cooling base, it **saves energy up to 50%** compared classical dispensers.
- ◆ **Practical tap system** allows easy dispensing of the beverage with single hand.
- ◆ **Large diameter tap hose** allows constant fluidity and can easily be disassembled and cleansed.
- ◆ It eliminates the risk of leakage to the engine compartment thanks to **the magnetic Spray system**, hence motor is fully protected.
- ◆ Even if the beverage level is low; the appetizing look does not change thanks to the spray system.
- ◆ In order to achieve **perfect cleaning and hygiene**; all parts which are in contact with the beverage can be easily accessed and quickly cleansed.
- ◆ Polycarbonate bowl is **vandal-proof** and food grade.
- ◆ The compact body makes the machine suitable for food-service outlets with high daily consumption needs.
- ◆ Not to be used with particulate beverages.
- ◆ **Water level indicator** incorporated into the drip tray serves to indicate the time to empty the tray.





product range



temperature control
system



YELLOW

S40.DY 11

€ 830,00



BLACK

S40.DB 11

€ 830,00



INOX

S40.DI 11

€ 865,00



ELECTRONIC

The desired temperature of the beverage is set on the electronic thermostat, this level is kept constant, the electronic display shows the current temperature level.

Panoramic 22 Twin

22 L+22 L Panoramic twin cold beverage dispenser

Counter top cold beverage dispenser for cooling and dispensing natural fruit juices, ayran and all sorts of cold beverages



Also available with
refrigerating gas
R290



22 LITERS



22 LITERS

Weight and Dims.	Machine	Package
Weight	32,7 kg	35,5 kg
Width	695 mm	735 mm
Depth	405 mm*	420 mm
Height	755 mm	780 mm

* includes drip tray

Technical Specs.	
Cooling Gas	R134a / R290
Temperature Range	+3 °C ... +10 °C
Cooling Power	750 W
Power	290 W
Current	1,5 A
Energy Consumption	4,36 kWh/24h
Supply Voltage	220-240 V 50 Hz
Optional Voltage	208-220 V 60 Hz
Optional Voltage	115 V 60 Hz

Panoramic cold beverage dispensers with spray and/or mixer

- ◆ **Spray;** counter top cold beverage dispenser; equipped with magnetic spray system, for cooling and dispensing specially fruit juices without particules and shalgam.
- ◆ **Mixer;** counter top cold beverage dispenser; specially equipped with slow agitation system, for cooling and dispensing fruit juices with particles, as well as ayran, shalgam, cold coffee, cold tea, milk and all similar cold drinks.
- ◆ The magnetic Spray system in the **Spray version** and the twisted magnetic pallet system in the **Mixer version;** eliminate the risk of leakage to the engine compartment, hence the engine is fully insulated.
- ◆ Beverages cool faster and equally until the last drop thanks to the large cooling base, it **saves energy up to 50%** compared classical dispensers.
- ◆ **Spray** versions are not suitable for the use of particulate beverages,
- ◆ It offers appetizing look thanks to the **spray** system.
- ◆ **Mixer;** It provides a homogeneous mix thanks to the magnetic and twisted pallet system, this allows the beverage to cool faster.
- ◆ Bowls can operate independently both cooling and mixing, multiple containers allow to always have some beverage available at any time.
- ◆ **Practical tap system** allows easy dispensing of the beverage with single hand.
- ◆ **Large diameter tap hose** allows constant fluidity and can easily be disassembled and cleansed.
- ◆ In order to achieve **perfect cleaning and hygiene;** all parts which are in contact with the beverage can be easily accessed and quickly cleansed.
- ◆ Polycarbonate bowl is **vandal-proof** and food grade.
- ◆ It is suitable for food outlets that want to offer different and varied beverages at the same time, thanks to the single machine body and double bowls.
- ◆ **Water level indicator** incorporated into the drip tray serves to indicate the time to empty the tray.





product range



temperature control
system



YELLOW

SS44.AY ۱۱۱ ۱۱۱

€ 1.125,00



YELLOW

SM44.AY ۱۱۱ ۱۱۱

€ 1.125,00



YELLOW

MM44.AY ۱۱۱ ۱۱۱

€ 1.125,00



MANUAL

The desired temperature level is set manually, the thermostat keeps this level constant.



BLACK

SS44.AB ۱۱۱ ۱۱۱

€ 1.125,00



BLACK

SM44.AB ۱۱۱ ۱۱۱

€ 1.125,00



BLACK

MM44.AB ۱۱۱ ۱۱۱

€ 1.125,00



MANUAL

The desired temperature level is set manually, the thermostat keeps this level constant.

KAM22 - KAM40

22 L or 40 L Panoramic foamy ayran dispenser with mixer



Also available with
refrigerating gas
R290



22 LITERS



40 LITERS

Weight and Dims.	Machine	Package	Machine	Package
Weight	21,8 kg	22,90 kg	25 kg	26,9 kg
Width	350 mm	400 mm	450 mm	478 mm
Depth	405 mm*	425 mm	450 mm*	478 mm
Height	825 mm	870 mm	890 mm	915 mm

* includes drip tray

Technical Specs.

Cooling Gas	R134a / R290	R134a / R290
Temperature Range	+3 °C ... +10 °C	+3 °C ... +10 °C
Cooling Power	500 W	750 W
Power	255 W	285 W
Current	1,3 A	1,45 A
Energy Consumption	2,8 kWh/24h	4,3 kWh/24h
Supply Voltage	220-240 V 50 Hz	220-240 V 50 Hz
Optional Voltage	208-220 V 60 Hz	208-220 V 60 Hz
Optional Voltage	115 V 60 Hz	115 V 60 Hz

Panoramic foamy ayran dispenser with mixer

- ◆ Counter top cold beverage dispenser designed for cooling and dispensing Ayran; equipped with foam producing **special tap system**.
- ◆ The unique, compact, dispenser for foamy Ayran with mixer
- ◆ The taste and the consistency of Ayran do not change as the foam is produced while pouring thanks to specially developed tap system.
- ◆ Ayran cools faster and equally until the last drop thanks to the large cooling base, **it saves energy up to 50%** compared classical dispensers.
- ◆ The taste and the consistency of Ayran do not change thanks to the slow agitation system; it also eliminates formation of foam inside the bowl.
- ◆ It provides a homogeneous mix thanks to the magnetic and twisted pallet system, this allows the beverage to cool faster.
- ◆ It eliminates the risk of leakage to the engine compartment thanks to **the magnetic twisted pallet system**, hence the motor is fully protected.
- ◆ In order to achieve **perfect cleaning and hygiene**; all parts which are in contact with the beverage can be easily accessed and quickly cleansed.
- ◆ Polycarbonate bowl is **vandal-proof** and food grade.
- ◆ **Water level indicator** incorporated into the drip tray serves to indicate the time to empty the tray.





product video



product range



WHITE
KAM22.DW ☉
€ 775,00



INOX
KAM22.DI ☉
€ 810,00



22 LITERS



temperature control
system



ELECTRONIC

The desired temperature of the beverage is set on the electronic thermostat, this level is kept constant, the electronic display shows the current temperature level.



WHITE
KAM40.DW ☉
€ 1.065,00



INOX
KAM40.DI ☉
€ 1.100,00



40 LITERS



ELECTRONIC

The desired temperature of the beverage is set on the electronic thermostat, this level is kept constant, the electronic display shows the current temperature level.

Classical Mono

20 L Classical dispenser for cold beverage with spray or mixer

Counter top cold beverage dispenser for cooling and dispensing fruit juices, ayran and all sorts of cold beverages



Also available with
refrigerating gas
R290



20 LITERS

Weight and Dims.	Machine	Package
Weight	20,5 kg	21,9 kg
Width	185 mm	225 mm
Depth	525 mm*	550 mm
Height	665 mm	690 mm

* includes drip tray

Technical Specs.	
Cooling Gas	R134a / R290
Temperature Range	+5 °C ... +10 °C
Cooling Power	500 W
Power	275 W
Current	1,4 A
Energy Consumption	5,60 kWh/24h
Supply Voltage	220-240 V 50 Hz
Optional Voltage	208-220 V 60 Hz
Optional Voltage	115 V 60 Hz

Classical cold beverage dispenser with mixer or spray

- ♦ **Spray** counter top cold beverage dispenser; equipped with magnetic Spray system, for cooling and dispensing specially fruit juices without particules and shalgam.
- ♦ **Mixer** counter top cold beverage dispenser; specially equipped with slow agitation system, for cooling and dispensing fruit juices with particles, shalgam, cold coffee, cold tea, and all similar cold drinks.
- ♦ The magnetic Spray system in the **Spray version** and the twisted magnetic pallet system in the **Mixer version**; eliminate the risk of leakage to the engine compartment, hence the engine is fully insulated.
- ♦ **Spray** versions are not suitable for the use of particulate beverages.
- ♦ **Mixer**; It provides a homogeneous mix thanks to the magnetic and twisted pallet system, this allows the beverage to cool faster.
- ♦ **Practical tap system** allows easy dispensing of the beverage with single hand.
- ♦ **Large diameter tap hose** allows fast filling and can easily be disassembled and cleansed.
- ♦ In order to achieve perfect cleaning and hygiene; all parts which are in contact with the beverage can be easily accessed and quickly cleansed.
- ♦ Polycarbonate bowl is vandal-proof and food grade.
- ♦ The compact body makes the machine suitable for food-service outlets with high daily consumption needs.
- ♦ **Water level indicator** incorporated into the drip tray serves to indicate the time to empty the tray.
- ♦ The desired temperature level is set manually inside the body, concealed thermostat keeps this level constant.





product range



YELLOW
20.SY ۹۹
€ 400,00



BLACK
20.SB ۹۹
€ 400,00



INOX
20.SI ۹۹
€ 435,00



YELLOW
20.MY ۹۹
€ 425,00



BLACK
20.MB ۹۹
€ 425,00



INOX
20.MI ۹۹
€ 460,00

Classical Twin

20 L + 20 L Classical dispenser for cold beverage with spray or mixer

Counter top cold beverage dispenser for cooling and dispensing fruit juices, ayran and all sorts of cold beverages



Also available with refrigerating gas **R290**



20 LITERS



20 LITERS

Weight and Dims.	Machine	Package
Weight	32,5 kg	34,4 kg
Width	365 mm	395 mm
Depth	525 mm*	535 mm
Height	665 mm	690 mm

* includes drip tray

Technical Specs.	
Cooling Gas	R134a / R290
Temperature Range	+5 °C ... +10 °C
Cooling Power	750 W
Power	310 W
Current	1,55 A
Energy Consumption	5,94 kWh/24h
Supply Voltage	220-240 V 50 Hz
Optional Voltage	208-220 V 60 Hz
Optional Voltage	115 V 60 Hz

Classical cold beverage dispenser with mixer and/or spray

- ◆ **Spray** counter top cold beverage dispenser; equipped with magnetic Spray system, for cooling and dispensing specially fruit juices without particules and shalgam.
- ◆ **Mixer** counter top cold beverage dispenser; specially equipped with slow agitation system, for cooling and dispensing fruit juices with particles, shalgam, cold coffee, cold tea, and all similar cold drinks.
- ◆ The magnetic Spray system in the **Spray version** and the twisted magnetic pallet system in the **Mixer version**; eliminate the risk of leakage to the engine compartment, hence the engine is fully insulated.
- ◆ **Spray** versions are not suitable for the use of particulate beverages.
- ◆ **Mixer**; It provides a homogeneous mix thanks to the magnetic, twisted pallet system, this allows the beverage to cool faster.
- ◆ Bowls can operate independently both cooling and mixing, multiple containers allow to always have some beverage available at any time.
- ◆ **Practical tap system** allows easy dispensing of the beverage with single hand.
- ◆ **Large diameter tap hose** allows fast filling and can easily be disassembled and cleansed.
- ◆ In order to achieve perfect cleaning and hygiene; all parts which are in contact with the beverage can be easily accessed and quickly cleansed.
- ◆ Polycarbonate bowl is vandal-proof and food grade.
- ◆ The compact body makes the machine suitable for food-service outlets with high daily consumption needs.
- ◆ Water level indicator incorporated into the drip tray serves to indicate the time to empty the tray.
- ◆ The desired temperature level is set manually inside the body, concealed thermostat keeps this level constant.





product range



YELLOW

40.SSY ၂၂ ၂၂

€ 585,00

BLACK

40.SSB ၂၂ ၂၂

€ 585,00

INOX

40.SSI ၂၂ ၂၂

€ 610,00

YELLOW

40.SMY ၂၂ @

€ 610,00

BLACK

40.SMB ၂၂ @

€ 610,00



YELLOW

40.MMY @ @

€ 635,00

BLACK

40.MMB @ @

€ 635,00

INOX

40.MMI @ @

€ 670,00



INOX

40.SMI ၂၂ @

€ 645,00

Classical Triple

20 L + 20 L + 20 L Classical dispenser for cold beverage with spray or mixer

Counter top cold beverage dispenser for cooling and dispensing fruit juices, ayran and all sorts of cold beverages



Also available with refrigerating gas **R290**



20 LITERS



20 LITERS



20 LITERS

Weight and Dims.	Machine	Package
Weight	42,3 kg	44,5 kg
Width	545 mm	575 mm
Depth	525 mm*	550 mm
Height	665 mm	690 mm

* includes drip tray

Technical Specs.	
Cooling Gas	R134a / R290
Temperature Range	+5 °C ... +10 °C
Cooling Power	1020 W
Power	340 W
Current	1,75 A
Energy Consumption	8 kWh/24h
Supply Voltage	220-240 V 50 Hz
Optional Voltage	208-220 V 60 Hz
Optional Voltage	115 V 60 Hz

Classical cold beverage dispenser with mixer and/or spray

- ◆ **Spray** counter top cold beverage dispenser; equipped with magnetic Spray system, for cooling and dispensing specially fruit juices without particules and shalgam.
- ◆ **Mixer** counter top cold beverage dispenser; specially equipped with slow agitation system, for cooling and dispensing fruit juices with particles, shalgam, cold coffee, cold tea, and all similar cold drinks.
- ◆ The magnetic Spray system in the **Spray version** and the twisted magnetic pallet system in the **Mixer version**; eliminate the risk of leakage to the engine compartment, hence the engine is fully insulated.
- ◆ **Spray** versions are not suitable for the use of particulate beverages.
- ◆ It provides a homogeneous mix thanks to the magnetic, twisted pallet system, this allows the beverage to cool faster.
- ◆ Bowls can operate independently both cooling and mixing, multiple containers allow to always have some beverage available at any time.
- ◆ **Practical tap system** allows easy dispensing of the beverage with single hand.
- ◆ **Large diameter tap hose** allows fast filling and can easily be disassembled and cleansed.
- ◆ In order to achieve perfect cleaning and hygiene; all parts which are in contact with the beverage can be easily accessed and quickly cleansed.
- ◆ Polycarbonate bowl is vandal-proof and food grade.
- ◆ The compact body makes the machine suitable for food-service outlets with high daily consumption needs.
- ◆ Water level indicator incorporated into the drip tray serves to indicate the time to empty the tray.
- ◆ The desired temperature level is set manually inside the body, concealed thermostat keeps this level constant.





product range



YELLOW

60.SSSY ۱۱۱۱۱۱

€ 850,00

BLACK

60.SSSB ۱۱۱۱۱۱

€ 850,00

INOX

60.SSSI ۱۱۱۱۱۱

€ 885,00



YELLOW

60.SSMY ۱۱۱۱۱۱

€ 875,00

BLACK

60.SSMB ۱۱۱۱۱۱

€ 875,00

INOX

60.SSMI ۱۱۱۱۱۱

€ 910,00



YELLOW

60.SMMY ۱۱۱۱۱۱

€ 900,00

BLACK

60.SMMB ۱۱۱۱۱۱

€ 900,00

INOX

60.SMMI ۱۱۱۱۱۱

€ 935,00



YELLOW

60.MMMY ۱۱۱۱۱۱

€ 925,00

BLACK

60.MMMB ۱۱۱۱۱۱

€ 925,00

INOX

60.MMMI ۱۱۱۱۱۱

€ 960,00

HOT 05



5 L Panoramic hot beverage dispenser

5 liter hot beverage dispenser is designed to heat, stir and dispense salep, hot chocolate, soup, coffee, warm milk, tea, herbal teas, warm wine, etc.. thanks to specially designed **"BAIN-MARIE"** system which ensures smoothness and thickness.



5 LITERS

Weight and Dims.	Machine	Package
Weight	6,3 kg	7 kg
Width	275 mm	290 mm
Depth	360 mm*	290 mm
Height	450 mm	470 mm

* includes drip tray

Technical Specs.	
Temperature Range	30°C ... 90°C
Heating Power	1000W
Current	4,5 A
Energy Consumption	9 kWh/24h
Supply Voltage	220-240 V 50 Hz
Optional Voltage	208-220 V 60 Hz
Optional Voltage	115 V 60 Hz

Panoramic mixer hot chocolate and salep dispenser

- ◆ 5 liter hot beverage dispenser is designed to heat, stir and dispense salep, hot chocolate, soup, coffee, warm milk, tea, herbal teas, warm wine, etc.. thanks to specially designed **"BAIN-MARIE"** system which ensures smoothness and thickness.
- ◆ Thanks to the specially designed **"BAIN-MARIE"** heating system; dense/concentrated - milk containing - beverages do not thicken and thus do not stick to the base of the container, it also avoids overheating of the product.
- ◆ All metal body parts and components are produced with high quality stainless steel.
- ◆ Continuous stirring maintains a perfect, lump-free consistency.
- ◆ Water level can be observed clearly thanks to the water level indicator on the outer body.
- ◆ Close circuit **"BAIN-MARIE"** limits the loss of vapor and keeps the water level constant, this eliminates the risk of calcification of the resistance.
- ◆ In case of lack of the necessary level of water, the automatic thermal control gets activated, it gives a visual warning by an outer body light to re ll; thus it prevents damage/loss of components.
- ◆ In case of clotted beverage; the tab can be cleaned without any need to dismantle any part, thanks to the anti-clogging spigot.
- ◆ In order to achieve perfect cleaning and hygiene; all parts which are in contact with the beverage can be easily accessed and quickly cleansed.
- ◆ The risk of scalding is eliminated thanks to the inner **"BAIN-MARIE"** container being isolated from the outer body, hence heat loss as well is minimized.
- ◆ Water level indicator incorporated into the drip tray serves to indicate the time to empty the tray.



product



INOX
SC.05 ☉
€ 450,00



“**“BAIN-MARIE”** is a heating technique, where the container the food is placed in, is fitted into another container filled with water. Food is heated very slowly with the warmth of the hot water coming from the bottom pan. Thus the food is cooked without being in direct contact with the heat source and hence is prevented from clumping and burning due to excessive heat. The structure of the device operating this process must be made of thick material which does not transmit heat fast. It is very important to keep the water in the device above the minimum required level to ensure a smooth operation.

HOT 10



10 L Panoramic hot beverage dispenser

10 liter hot beverage dispenser is designed to heat, stir and dispense salep, hot chocolate, soup, coffee, warm milk, tea, herbal teas, warm wine, etc.. thanks to specially designed **"BAIN-MARIE"** system which ensures shoothness and thickness.



10 LITERS

Weight and Dims.	Machine	Package
Weight	6,9 kg	7,7 kg
Width	275 mm	290 mm
Depth	360 mm*	290 mm
Height	535 mm	565 mm

* includes drip tray

Technical Specs.	
Temperature Range	30°C ... 90°C
Heating Power	1200W
Current	5,5 A
Energy Consumption	10 kWh/24h
Supply Voltage	220-240 V 50 Hz
Optional Voltage	208-220 V 60 Hz
Optional Voltage	115 V 60 Hz

Panoramic mixer soup, hot chocolate and salep dispenser

- ♦ 10 liter hot beverage dispenser is designed to heat, stir and dispense salep, hot chocolate, soup, coffee, warm milk, tea, herbal teas, warm wine, etc.. thanks to specially designed **"BAIN-MARIE"** system which ensures shoothness and thickness.
- ♦ Thanks to the specially designed **"BAIN-MARIE"** heating system; dense/concentrated - milk containing - beverages do not thicken and thus do not stick to the base of the container, it also avoids overheating of the product.
- ♦ All metal body parts and components are produced with high quality stainless steel.
- ♦ Continuous stirring maintains a perfect, lump-free consistency.
- ♦ Water level can be observed clearly thanks to the water level indicator on the outer body.
- ♦ Close circuit **"BAIN-MARIE"** limits the loss of vapor and keeps the water level constant, this eliminates the risk of calcification of the resistance.
- ♦ In case of lack of the necessary level of water, the automatic thermal control gets activated, it gives a visual warning by an outer body light to re ll; thus it prevents damage/loss of components.
- ♦ In case of clotted beverage; the tab can be cleaned without any need to dismantle any part, thanks to the anti-clogging spigot.
- ♦ In order to achieve perfect cleaning and hygiene; all parts which are in contact with the beverage can be easily accessed and quickly cleansed.
- ♦ The risk of scalding is eliminated thanks to the inner **"BAIN-MARIE"** container being isolated from the outer body, hence heat loss as well is minimized.
- ♦ Water level indicator incorporated into the drip tray serves to indicate the time to empty the tray.



product



Hot Soup



“**“BAIN-MARIE”** is a heating technique, where the container the food is placed in, is fitted into another container filled with water. Food is heated very slowly with the warmth of the hot water coming from the bottom pan. Thus the food is cooked without being in direct contact with the heat source and hence is prevented from clumping and burning due to excessive heat. The structure of the device operating this process must be made of thick material which does not transmit heat fast. It is very important to keep the water in the device above the minimum required level to ensure a smooth operation.



samixir

iecek ekipmanları beverage equipment

Sam Teknik Mutfak Ekipmanları San. ve Tic. Ltd. Őti.

Adnan Kahveci Mah. Büyükdere Cad.

Őirin Sanayi Sitesi B Blok No:22/N

Beylikdüzü / ISTANBUL / TURKEY

Tel: +90 (212) 256 04 24

info@samixir.com

export@samixir.com

www.samixir.com



website



catalog

Türkey

Discover
the potential